CHEMOSPHERE

SUBJECT AND AUTHOR INDEX

Volume 23, 1991

Pergamon Press: Oxford New York Seoul Tokyo

EXECUTIVE EDITOR

Dr. T. Stephen, *8 Lewis Close, Risinghurst, Headington, Oxford OX3 8JD, U.K.*

POLICY BOARD

Chemistry and Biochemistry

— **Professor O. Hutzinger (Chairman) (Alfreda Hutzinger, Editorial Assistant),** *University of Bayreuth, Chair of Ecological Chemistry and Geochemistry, Postfach 10 12 51, D-8580 Bayreuth, G.F.R.*

Ecotoxicology

— **Professor Dr. J. P. Giesy,** *Department of Fisheries and Wildlife, Michigan State University, East Lansing, MI 48824-1222, U.S.A.*

— **Professor W. Klein,** *Fraunhofer-Institut für Umweltchemie und Ökotoxikologie, Grafschaft/Hochsauerland, D-5948 Schmallenberg, G.F.R.*

— **Dr. M. Yasuno,** *National Institute for Environmental Studies, Japan Environment Agency, 16-2 Onogawa, Tsukuba, Ibaraki 305, Japan*

Toxicology, Pharmacokinetics and Epidemiology

— **Professor U. G. Ahlborg,** *Karolinska Institutet, Institute of Environmental Medicine, Unit of Toxicology, Box 60208, S-10401 Stockholm, Sweden*

— **Professor S. Safe,** *Veterinary Physiology and Pharmacology, Texas A and M University, College Station, TX 77843, U.S.A.*

— **Professor E. Takabatake,** *Setsunan University, Faculty of Pharmaceutical Sciences, 45-1 Nagaotoge-cho, Hirakata, Osaka 573-01, Japan*

Atmospheric Chemistry and Global Change

— **Dr. M. A. K. Khalil,** *Department of Environmental Science and Engineering, Oregon Graduate Institute of Science and Technology, 19600 N.W. Von Neumann Drive, Beaverton, OR 97006-1999, U.S.A.*

PARTICIPATING BOARD

Chemistry and Biochemistry

Prof. Dr. K. Ballschmiter, *Universität Ulm (MNH), Abteilung Analytische Chemie, Oberer Eselberg 0 26, D-7900 Ulm, G.F.R.*

Prof. T. F. Bidleman, *Department of Chemistry and Marine Science Program, University of South Carolina, Columbia, SC 29208, U.S.A.*

Dr. R. E. Clement, *Ontario Ministry of the Environment, P.O. Box 213, Resources Road, Rexdale, Ontario, Canada M9W 2L1*

Dr. D. W. Connell, *Griffith University, School of Australian Environmental Studies, Nathan, Brisbane, Queensland 4111, Australia*

Dr. P. E. Des Rosiers, *Research and Development Office, U.S. Environmental Protection Agency, 401 M-Street SW, Washington, DC 20460, U.S.A.*

Dr. H. S. Fuhr, *Bayer AG-Dormagen, Wersverwaltung GEB G-17, D-4047 Dormagen, G.F.R.*

Dr. W. Giger, *Swiss Federal Institute of Technology, Institute for Water Research and Water Pollution Control (EAWAG), CH-8600 Dubendorf, Switzerland*

Prof. Dr. H. P. Hagenmaier, *Department of Organic Chemistry, University of Tübingen, Auf der Morgenstelle 18, D-7400 Tübingen 1, G.F.R.*

Dr. F. Hileman, *Monsanto BB4M, 700 Chesterfield Village Parkway, St Louis, MO 63198, U.S.A.*

Prof. R. A. Hites, *School of Public and Environmental Affairs, 400E 7th Street, Indiana University, Bloomington, IN 47405, U.S.A.*

Prof. Dr. P. M. Huang, *Saskatchewan Institute of Pedology, University of Saskatchewan, Saskatoon, Canada S7N 0W0*

Mr. D. W. Kuehl, *US Environmental Protection Agency, Duluth, MN 55804, U.S.A.*

Dr. R. C. Lao, *Technology Development and Technical Services Branch, Environment Canada, River Road Environmental Technology Centre, Ottawa, Ontario, Canada K1A 0H3*

Prof. D. Mackay, *Department of Chemical Engineering, University of Toronto, Canada M5S 1A4*

Dr. T. Mill, *Stanford Research International, 333 Ravenswood Avenue, Menlo Park, CA 94025, U.S.A.*

Prof. A. A. Moghissi, *PO Box 7166, Alexandria, VA 22307, U.S.A.*

Prof. Dr. H. Parlar, *Gesamthochschule Kassel-Universität, Fachbereich 19 Biologie/Chemie, Heinrich-Plett-Strasse 40, D-3500 Kassel, G.F.R.*

Prof. C. Rappe, *University of Umeå, Institute of Environmental Chemistry, S-901 87 Umeå, Sweden*

Dr. A. Sabljić, *Institute Ruder Bošković, Department of Physical Chemistry, P.O.B. 1016, 41001 Zagreb, Croatia, Yugoslavia*

Prof. Dr. H.-R. Schulten, *Fachhochschule Fresenius, Department of Trace Analysis, Dambachtal 20, D-6200 Wiesbaden, G.F.R.*

Dr. G. Sundström, *Dow Sverige AB, P.O. Box 7038, S-103 86 Stockholm, Sweden*

Prof. Dr. P. R. Wallnöfer, *Bayerische Landesanstalt für Ernährung, Menzinger Strasse 54, D-8000 München, G.F.R.*

Dr. V. Zitko, *Program Head, Toxicology and Organic Contaminants Section, Marine Chemistry Division, Department of Fisheries and Oceans, Biological Station, St. Andrews, New Brunswick, Canada E0G 2X0*

Ecotoxicology

Dr. S. M. Bartell, *Environmental Sciences Division, Oak Ridge National Laboratory, Oak Ridge, TN 37830, U.S.A.*

Dr. G. C. Butler, *4694 West 13th Avenue, Vancouver, British Columbia, Canada V6R 2V7*

Prof. Dr. D. Calamari, *Istituto di Entomologia, Facoltà di Agraria, Università degli Studi di Milano, Via Celoria 2, 1–20133 Milano, Italy*

Dr. R. T. Digiulio, *Duke University, School of Forestry and Environmental Studies, Durham, NC 27706, U.S.A.*

Prof. Dr. W. Ernst, *Alfred-Wegener-Institut für Polar- und Meeresforschung, Postfach 120161, Columbusstrasse, D-2850 Bremerhaven, G.F.R.*

Prof. M. Goto, *Institute of Ecotoxicology, Gakushuin University, Faculty of Science, 151 Merjiro, Toshima-Ku, Tokyo 171, Japan*

Dr. P. C. Kearney, *Natural Resources Institute, USDA, ARS, Office of Deputy Area Director, Building 001, Room 233, Barc-West, Beltsville, MD 20705, U.S.A.*

Dr. S. J. Klaine, *Memphis State University, Department of Biology, Memphis, TN 38152, U.S.A.*

Dr. P. F. Landrum, *Great Lakes Environmental Research Laboratory, NOAA/USDC, 2205 Commonwealth Boulevard, Ann Arbor, MI 48105–1593, U.S.A.*

Dr. R. Nagel, *Johanne Gutenberg-Universität Mainz, Fachbereich Biologie, Institut für Zoologie, Postfach 3980, Saarstrasse 21, D-6500 Mainz, G.F.R.*

Prof. F. Schmidt-Bleek, *OECD 2, Rue André-Pascal, F-75775 Paris Cedex 16, France*

Dr. A. Spacie, *Perdue University, Department of Forestry and Natural Resources, Forestry Building, West Lafayette, IN 47907, U.S.A.*

Prof. R. Truhaut, *Université de Paris, 4 Avenue Del Observatory, Centre Faculté de Pharmacie, F-75006 Paris 6, France*

Toxicology, Pharmacokinetics and Epidemiology

Dr. R. Kociba, *Dow Chemical Company, 1803 Building, Midland, MI 48674, U.S.A.*

Prof. Dr. Y. Masuda, *Daiichi College of Pharmaceutical Sciences, 22–1 Tamagawa-Cho, Minami-ku, Fukuoka 815, Japan*

Dr. W. Mücke, *Ludwig-Maximilians Universität, Bavarian State Ministry for State Development and Environmental Affairs, Seefeldstrasse 11, D-8018 Grafing, G.F.R.*

Dr. H. Nakazawa, *Laboratory of Medicinal Chemistry, Department of Pharmaceutical Sciences, Institute of Public Health, 6-1, Shirokanedai 4 Chome, Minato-ku, Tokyo, 108 Japan*

Prof. Dr. Ch. Schlatter, *Institute of Toxicology, Federal Institute of Technology, University of Zurich, Schorenstrasse 16, CH–8603 Schwerzenbach, Switzerland*

Prof. Dr. R. R. Suskind, *Department of Environmental Health, Kettering Laboratory, University of Cincinnati, 3223 Eden Avenue, Cincinnati, OH 45267, U.S.A.*

Atmospheric Chemistry and Global Change

Dr. P. Brimblecombe, *School of Environmental Sciences, University of East Anglia, Norwich NR4 7TJ, U.K.*

Prof. C. I. Davidson, *Department of Civil Engineering, Carnegie Mellon University, Schenley Park, Pittsburgh, PA 15213, U.S.A.*

Dr. J. W. Elkins, *United States Department of Commerce, NOAA–ERL, 325 Broadway, Mail Stop R/E/AR4, Boulder, CO 80303-3328, U.S.A.*

Dr. J. Fishman, *NASA Langley Research Center, Mail Stop 401A, Hampton, VA 23665-5225, U.S.A.*

Dr. V. W. J. H. Kirchoff, *Director, Space and Atmospheric Science, Instituto Nacional de Pesquisas Espaciais (INPE), Ave. dos Astronautas 1758, Caixa Postal 515–12201, São José dos Campos, S. P., Brazil*

Dr. D. C. Parashar, *Chemistry Division, National Physical Laboratory, New Delhi, 110012, India*

Dr. S. A. Penkett, *School of Environmental Sciences, University of East Anglia, Norwich NR4 7TJ, U.K.*

Prof. Dr. R. A. Rasmussen, *Department of Environmental Science and Engineering, Oregon Graduate Institute, 19600 N.W. Von Neumann Drive, Beaverton, OR 97006, U.S.A.*

Prof. Dr. W. Seiler, *Fraunhofer Institute for Atmospheric Environmental Research, Kreuzeckbahnstrasse 19, D-8100 Garmisch-Partenkirchen, G.F.R.*

Prof. J. W. Winchester, *Department of Oceanography B-169, Florida State University, Tallahassee, FL 32306, U.S.A.*

Twenty-four issues per year, published in two volumes.

Copyright © 1992
Pergamon Press plc

SUBJECT INDEX VOL. 23, 1991

Corrigenda
Kawamoto K. and Urano K. : 21, 1149(1990): Table 3 corrected and reproduced, 813

Acids
phenoxy acetic and propionic, gas chromatographic detn as 2,2,2–trifluoroethyl esters, 845

Acrolein
in vitro covalent modification of serum albumin, 939

Adipose tissue
congener specific analysisfor PCBs, 651
human tissue, ^1H NMR identification of PCBs and partially oxidised PCB congeners, 383

Aerobic conditions
biodegradability, insoluble and volatile compds assessed by CO_2 production, 855
biodegradation, application of dissolved inorganic carbon measurements, 507, 855
biodegradation and structure of quaternary alkyl ammonium salts, relationship, 281

Aerosol
particulate matter over S Atlantic from about 30–70°S, assessment terrestrial higher mol wt lipid compds, 447

Agriculture
watersheds with different land management, secondary production of benthic stream invertebrates, 57

Air
and soil, fugacity model for chemical uptake by plants, 539
borne halocarbon levels at urban and mountain forest sites in Germany and at Atlantic coast, 609

Alcohols
n–octanol/water partition coeffs, models by molecular topology of polycyclic aromatic hydrocarbons and alkyl derivs, 199
n–octanol/water partition coeff, s–triazine herbicide evaluation, 801

Algae
ecotoxic hazard of phenylureas, estimation with QSAR predictive model, 497

Ames test
chlorine reactivity with mutagen 3–chloro–4–(dichloro–methyl)–5 –hydroxy–2(5H)–furanone, 873

Amino acid
analysis, *in vitro* covalent modification of serum albumin by acrolein, 939

Ammonium
quaternary alkyl salts, relation between structure and biodegradability, 281

Animals
Chinese hamster ovary cells, test system for detection of nuclear and cytoplasmic damage, 777
rats, short term toxicity of methomyl, 375

Analysis
terrestrial higher mol wt lipids, aerosol particulate matter over S Atlantic from about 30–70°S, 447
amino acid–, *in vitro* covalent modification of serum albumin by acrolein, 939
chlorinated diphenyl ethers in human adipose tissue, difference between males and females, 601

congener specific method for PCBs in human milk, 119
congener specific–, PCBs in serum and adipose tissue, 651
human adipose tissue, ^{1}H NMR identification of PCBs and partially oxidised PCB congeners, 383
municipal refuse incinerator ashes, variation in elemental composition with time of sampling, 391
PCB 132, 153 and 105 separation of 132, 193
PCDDs and PCDFs, detn in selected paper products, 737

Antiarctica
S Atlantic from about 30–70°S, aerosol particulate matter, terrestrial higher mol wt lipids, 447

Aquatic organisms
mussels, levels and long–term trends of high molecular chlorinated hydrocarbons, Istrian coastal waters, N. Adriatic, 747
plankton in Adriatic open waters, distn, concn and origin of aliphatic hydrocarbons, 925

Aquatic systems
Atlantic ocean water flow, hexachlorocyclohexane isomers as markers, 889
coastal compartments, partitioning of microcontaminants in wastewater from urban disposal site, 313
ecotoxic hazard of phenylureas, estimation with QSAR predictive model, 497
Istrian coastal waters, N. Adriatic, levels and long–term trends of high molecular chlorinated hydrocarbons in mussels, 747?
lakes and rivers of Czechoslovakia, PCBs in water and sediments, 269
Mississippi and tributaries, halogenated compds in catfish, 817
oceanic and freshwater systems, atmospheric trace organic contaminant fluxes assessed by evaluation of prcipitation samplers, 343
river–transported halogenated biphenyls and terphenyls, distribution in coastal environment, 327
rivers and estuaries N. E. England, copper complexation, 695
tropical estuary, malathion sorption by sediments, 167
water quality in man–made lake, Melboun=rne, nitrogen and phosphorus excretion by carp, 671

Artificial
neural network, prediction, biodegradation of organic chemicals, 305

Ash
from municipal refuse incinerator, variation in elemental composition with time of sampling, 391

Assays
goldfish scale cells, in vitro cytotoxicity of 45 pesticides, 525
munition nitroaromatic compds, *in vitro* cytotoxicity, 363

Atmosphere
air and soil, fugacity model for chemical uptake by plants, 539
CO2 concentration effect on climate and plant isoprene emissions, 37
fluxes of trace organic contaminants, assessed by evaluation of prcipitation samplers, 343
PCBs in–, traffic automobiles as source, 785
radical OH production and destruction and space time variations, 397

Automobiles
in traffic, source of PCBs in atmosphere, 785

Benthic
tream invertebrates, production, agricultural watersheds with different land management, 57

Bioconcentration
factor and aqueous solubility, evaluation and relationship, 231
organic chemicals in fish, i/o characters, 789

Biodegradation
aerobic–, application of dissolved inorganic carbon measurements, 507
aerobic–, study, application dissolved inorganic carbon measurements, 855
aerobic–, and structure of quaternary alkyl ammonium salts, relationship, 281
organic chemicals, prediction by artificial neural network, 305

Biphenyls
3,3',4,4'–tetrachlorobiphenyl and 2,3,7,8–TCDD mixtures, nonadditive interactions with aryl hydrocarbon hydroxylase induction in *Oncorhynchus mykiss*, 467
halogenated–, and terphenyls, river–transported, distribution in coastal environment, 327
hexachlorobiphenyls, reaction with selenium, formation of chlorinated dibenzoselenophenes, 569
PCB–132, isolation and synthesis, 193
PCBs and partially oxidised PCB congeners, ^{1}H NMR identification in human adipose tissue, 383
PCBs in atmosphere, traffic automobiles as source, 785
PCBs in human milk, analysis by congener specific method, 119
PCBs in serum and adipose tissue, congener specific analysis, 651
PCBs in water and sediments, lakes and rivers of Czechoslovakia, 269
PCBs, detn in waste mineral oil, review, 901
PCBs, fractionation on carbon cartridge, 841
PCBs, uptake by plants from air and soil, fugacity model, 539
planar PCB congeners, isolation by carbon column chromatography, 915

Bioremediation
effect on mutagenicity of oil, Alaska spill, 643

Blood
serum albumin, *in vitro* covalent modification by acrolein, 939
serum, congener specific analysis for PCBs, 651

Butachlor
degradation by two soil fungi, 99

Calculations
OH concentrations and distribution, different day times, seasons, altitudes, latutudes and climatic conditions, 397
transport/degradation rate for TCDD in diffusion controlled process, 589

Carbon
cartridge, fractionation of chloro organo compds, 841
column chromatography, isolation of planar PCB congeners, 915

dissolved inorganic–, measurements, aerobic biodegradation study, 855

Carbon dioxide
improved production test, biodegradability of organic compds under aerobic conditions, 507
production, assessing aerobic biodegradability insoluble and volatile compds, 855

Catalysts
H_2O_2 treatment of OCDD in surface soil, 949
identified, PCDD synthesis in samples of fly ash from MSW incinerator, 831

Catechol
methylation products, soil and earthworms sawmill environment, 263

Chemicals
organic, bioconcentration in fish, i/o characters, 789

Chlorine and compounds
chlorinated diphenyl ethers in human adipose tissue, difference between males and females, 601
chlorinated hydrocarbons, high molecular, in mussels, levels and long term trends, coastal; waters, N.Adriatic coast, 747
chlorine reactivity with mutagen 3–chloro–4–(dichloromethyl)–5–hydroxy–2(5H)–furanone, 873
chlorobenzenes in sewage sludge, capillary gas chromatography, 677
chlorobenzenes, levels and sources in municipal waste compost, 181
chloro organic compds, carbon cartridge fractionation, 841
chlorophenols, levels and sources in municipal waste compost, 181
hexachlorocyclohexane isomers as markers, Atlantic ocean water flow, 889
pentachlorophenol from soil, effect of moisture, 881
tetra– and pentachlorodibenzothiophenes, formation in waste combustion, 583

Chromatography
analysis for PCBs in human milk, by congener specific method, 119
capillary gas–, chlorobenzenes analysis in sewage sludge, 677
carbon column–, isolation of planar PBB congeners, 915
chlorinated dibenzoselenophenes by thermal reaction of hexachlorobiphenyls with selenium 569
PCB 132, 153 and 105 separation of 132, 193
PCBs in serum and adipose tissue, congener specific analysis, 651
pesticides and metabolites identified in catfish from Mississippi, 817
phenoxy acetic and propionic acids, detn as 2,2,2–trifluoroethyl esters, 845
tetra– and pentachlorodibenzothiophenes, formation in waste combustion, 583
two chamber method for detn of pesticide flux in water and soil, 291

Clay
soil surfaces,interaction with maleic hydrazide, 473

Climate
global patterns, plant isoprene emissions, effect of atmospheric CO_2 37

Clothing
combustion, source of PCDDs and PCDFs in British environment, 255

Combustion
cerial straw or wood chips in furnaces, emission and mutagenic activity of PAH, 723
clothing, source of PCDDs and PCDFs in British environment, 255
domestic coal, source of PCDDs and PCDFs in British environment, 255
waste–, formation of tetra– and pentachlorodibenzothiophenes, 583

Complexation
copper in rivers and estuaries, N. E. England, 695

Composts
municipal waste, levels and sources of PCDDs, PCDFs,CPs and CBzs, 181

Congeners
partially oxidised PCB–, ^1H NMR identification in human adipose tissue, 383
planar PCB–, isolation by carbon column chromatography, 915
specific analysis for PCBs in human milk, 119
specific analysis for PCBs in serum and adipose tissue, 651

Constants
stability, copper complexation in rivers and estuaries, N. E. England, 695

Contamination
benthic stream invertebrates, agricultural watersheds with different land management, 57
OCDD in surface soil, catalysed H_2O_2 treatment, 949

Copper
complexation, rivers and estuaries N.E.England, 695

Cork
products, potential source of PCDDs and PCDFs, 133

Cytotoxicity
in vitro–, munition nitroaromatic compds, 363
in vitro–, 45 pesticides, goldfish scale cells, 525

Degradation
butachlor, by two soil fungi, 99
photo–, 2,3,7,8–TCDD, theoretical maximum rate of soil decontamination, kinetics, 589
photo–, nitroalkanes, detn by Fujiki–and GSF–tests 77

Diffusion
controlled process, transport/degradation rate for TCDD
unattached polonium–218, properties in propylene–nitrogen gas system, 25

Dioxins
2,3,7,8–TCDD and 3,3',4,4'–tetrachlorobiphenyl, nonadditive interactions of mixtures on aryl hydrocarbon hydroxylase induction in *Oncorhynchus mykiss*, 467
2,3,7,8–TCDD, kinetics of photodegradation, theoretical maximum rate of soil decontamination, 589
OCDD in surface soil, catalysed H_2O_2 treatment, 949
PCDD synthesis over MSW incinerator fly ash to identify catalytic species, 831
PCDD, synthesis and destruction in municipal solid waste incinerator, 715

PCDDs in British environment, combustion of domestic coal and waste incineration as source, 255
PCDDs, detn in selected paper products, 737
PCDDs, levels and sources from composted municipal waste, 181
PCDDs, source from cork products, 133
uptake by plants from air and soil, fugacity model, 539

Distribution
bentazon, lysimeter experiments, 83
in coastal environment, river–transported halogenated biphenyls and terphenyls, 327

Earthworms
sawmill environment, methylation products of chlorophenols, catechols and hydroquinones, 263

Effluents
wastewater microcontaminants from urban disposal site, partitioning among coastal compartments, 313

Electrostatic
properties, unattached polonium–218, propylene–nitrogeb gas system, 25

Elemental
composition varying with time in municipal refuse incinerator ashes, 391

Emissions
PAH and mutagenic activity from furnaces fueled with cerial straw or wood chips, 723
PCBs from traffic automobiles, 785

Environment
airborne halocarbon levels at urban and mountain forest sites in Germany and at Atlantic coast, 609
British–, combustion of domestic coal and waste incineration, source of PCDDs and PCDFs, 255
chemical contaminants in soil, risk assessment,3
chlorobenzene pollutants, physico–chemical properties, 141
coastal–, distribution of river–transported halogenated biphenyls and terphenyls, 327
distribution of organic chemicls, graphical display of fugacity model, level 1, 633
fate of herbicides and pesticides, fugacity model for uptake by plants from air and soil, 539

Enzymes
antichlolinesterase levels, toxicity of methomy in rats, 375
aryl hydrocarbon hydroxylase induction in *Oncorhynchus mykiss*, nonadditive interactions of mixtures of 2,3,7,8–TCDD and 3,3',4,4'–tetrachlorobiphenyl, 467

Ethers
chlorinated diphenyl in human adipose tissue, difference between males and females, 601

Excretion
of nitrogen and phosphorus, carp, 671

Explosives
munition nitroaromatic pollutants, *in vitro* cytotoxicity, 363

Extraction
pentachlorophenol from soil, effects of moisture content, 881

Factor
and aqueous solubility, evaluation and relationship, 231

Fish
bioconcentration of organic chemicals, i/o characters, 789
carp, nitrogen and phosphorus excretion, 671
ecotoxic hazard of phenylureas, estimation with QSAR predictive model, 497
goldfish scale cells, in vitro cytotoxicity of 45 pesticides, 525
Oncorhynchus mykiss, aryl hydrocarbon hydroxylase induction, nonadditive interactions of mixtures of 2,3,7,8–TCDD and 3,3',4,4'–tetrachlorobiphenyl, 467

Fluorine compounds
2,2,2–trifluoroethyl esters, gas chromatography of phenoxy acetic and propionic acids, 845

Fluxes
pesticide, in water and soil, detn by two chamber chromatography, 291

Fly ash
municipal refuse incinerator–, variation in elemental composition with time of sampling, 391
PCDD and PCDF, synthesis and destruction in municipal solid waste incinerator, 715
samples from MSW incinerator, PCDD synthesis to identify catalytic species, 831

Food
carrot content of polynuclear aromatic hydrocarbons, 243

Forest
mountain sites in Germany, airborne halocarbon levels, 609

Fractionation
chloroorganic compds on carbon cartridge, 841
of trace organic contaminants, assessed by evaluation of prcipitation samplers, 343
PCBs, on carbon cartridge, 841
pesticide–, two chamber method for detn in water and soil, 291

Fugacity
model, chemical uptake by plants from soil and air, 539
model, graphical display, level 1, 633

Fungi
in soil, degradation of butachlor, 99

Furanones
3–chloro–4–(dichloromethyl)–5–hydroxy–2(5H)–furanone, removal from water by oxidative, reductive, thermal or photochemical treatments, 761
mutagen 3–chloro–4–(dichloromethyl)–5–hydroxy–2(5H)–furanone, reactivity with chlorine, 873

Furans
PCDF, synthesis and destruction in municipal solid waste incinerator, 715

PCDFs in British environment, combustion of domestic coal and waste incineration as source, 255
PCDFs, detn in selected paper products, 737
PCDFs, levels and sources from composted municipal waste, 181
PCDFs, potential source from cork products, 133

Furnaces
fueled wiyh cereal straw or wood chips, emission of PAH and mutagenic activity

Gases
propylene–nitrogen system, properties of unattached polonium–218, 25

Halocarbons
airborne, levels at urban and mountain forest sites in Germany and Atlantic coast, 609

Hazard assessment
chemical contaminants in soil 3
ecotoxic–, phenylureas, estimation with QSAR predictive model, 497

Health hazard
chemical contaminants in soil, risk assessment,3

Herbicides
bentazon, leaching, distribution and metabolism, lysimeter experiments, 83
butachlor, degradation by two soil fungi, 99
maleic hydrazide interaction with soil clay surfaces, 473
phenylureas, ecotoxic hazard, estimation with QSAR predictive model, aquatic toxicity 497
s–triazine–, approaches for evaluation of Kow, 801
uptake by plants from air and soil, fugacity model, 539

Humidity
effect on diffusion coeff neutral unattached polonium–218, 25

Hydrazide
maleic, interaction with clay soil surfaces, 473

Hydrocarbons
airborne halocarbon levels at urban and mountain forest sites in Germany and at Atlantic coast, 609
aliphatic–, distn in plankton of Adriatic open waters, 925
chlorobenzenes in sewage sludge, analysis by capillary gas chrmatography, 677
hexachlorocyclohexane isomers, markers in Atlantic ocean water flow, 889
high molecular chlorinated–, levels and long–term trends in mussels from Istrian coastal waters N. Adriatic, 747
mono–and di–substit benzenes, biodegradability predicted by artificial neural network, 305
naphthalene, radiation induced gas phase hydroxylation, 627
PAH, emission and mutagenic activity, combustion of cerial straw or wood chips in furnaces, 723
PCNs and DDE, fractionation on carbon cartridge, 841
polycyclic aromatic–, and alkyl derivs, n–octanol/water partition coeffs, models by molecular topology, 199
polynuclear aromatic–, content of carrots, 243
propylene–nitrogen gas system, properties of unattached polonium–218, 25

Hydrogen peroxide
catalytic treatment of OCDD in surface soil, 949

Hydroquinone
methylation products, soil and earthworms, sawmill environment, 263

Hydroxylase
aryl hydrocarbon, induction in *Oncorhynchus mykiss*, nonadditive interaction with 3,3',4,4'–tetra–chlorobiphenyl and 2,3,7,8–TCDD mixtures, 467

Hydroxylation
naphthalene, gas phase, radiation induced, 627

Identification
catalytic species, PCDD synthesis MSW incinerator flyash, 831
PCBs and partially oxidised PCB congeners, in human adipose tissue, 383

Incinerators
MSW–, fly ash, PCDD synthesis to identify catalytic species, 831
municipal refuse ashes, variation in elemental composition with time of sampling, 391
municipal solid waste–, PCDD and PCDF, synthesis and destruction, 715

Insecticide
methomyl, short term toxicity in rats, 375

Invertebrates
benthic stream, sec production in agricultural watersheds with different land management, 57

Isoprene
plant emissions, clinate changes, effect of CO_2 concentration, 37

Kinetics
photodegradation of 2,3,7,8–TCDD, theoretical maximum rate of soil decontamination, 589

Land
different management of watersheds, sec production of benthic stream invertebrates, 57

Lysimeter
experiments, bentazon distribution, leaching and metabolism, 83

Leaching
bentazon, lysimeter experiments, 83

Lipids
terrestrial higher mol wt compds in aerosol particulate matter over the S Atlantic from about 30–70°S, 447

Malthion
sorption by sediments, tropical estuary, 167

Mechnisms
binding of maleic hydrazide to mineral soil clay surfaces, 473
production and destruction of atmospheric OH and space time variations, 397
QSAR predictive, estimating ecotoxic hazard of phenylureas, aquatic toxicity, 497

Metabolism
bentazon, lysimeter experiments, 83

Metals
copper complexation, in rivers and estuaries, N. E. England, 695
mineral soil clay surfaces, binding of maleic hydrazide, 473
toxic, municipal refuse incinerator ashes, variation in composition with time of sampling, 391

Methylation
products of CPs, catechols and hydroquinones, soil and earthworms, sawmill environment, 263

Microcontaminants
organic, urban wastewater, partitioning among coastal compartments, 313

Microorganisms
biodegradation and structure of quaternary alkyl ammonium salts, relationship, 281
Fusarium solani and *F.oxysporum* two soil fungi, degradation of butachlor, 99

Milk
human, congener specific method for presence of PCBs, 119

Models
artificial neural network, biodegradability of organic chemicals predicted, 305
atrazine triazine transport, effect of micro soil structure, estimation, use of small columns, 107
fugacity–, chemical uptake by plants from soil and air, 539
fugacity–, graphical display, level 1, 633
isoprene emissions from vegetation, climatic changes, 37
n–octanol/water partition coeffs by molecular topology of polycyclic aromatic hydrocarbons and alkyl derivs, 199
photochemical–, OH distribution and concentration at different day times, seasons, altitudes, latitudes and climates, 397
system for determining volatility of pesticides from soil and plant surfaces, 485

Moisture
content of soil, effect on extractability of pentachlorophenol, 881

Mussels
levels, and long term trends of high molecular chlorinated hydrocarbons, N.Adriatic coastal waters, 747

Mutagenicity
and PAH emission from furnaces fueled with cerial straw or wood chips, 723
oil, Alaska spill, effect of bioremediation, 643

Mutagens
3–chloro–4–(dichloromethyl)–5–hydroxy–2(5H)–furanone, removal from water by oxidative, reductive, thermal or photochemical treatments, 761
3–chloro–4–(dichloromethyl)–5–hydroxy–2(5H)–furanone, reactivity with chlorine, 873

Naphthalenes
hydroxylation, radiation induced gas phase, 627

Neural network
artificial, prediction, biodegradation of organic chemicals, 305

Neutralisation
rate constant, Po–218 ions, effect of humidity and radon concentration, 25

Nitro compounds
munition nitroaromatic compds, *in vitro* cytotoxicity, 363
nitroalkanes, photodegradation, detn by Fujiki–and GSF–tests 77

Nitrogen
and phosphorus excretion by carp, water quality in man–made lake, Melbourne, 671

Nuclear
and cytoplasmic damage, detection, Chinese hamster ovary cells, 777

Oils
mutagenicity, effect of bioremediation, Alaska spill, 643
waste mineral–, detn of polychlorinated biphenyls, review, 901

Organic matter and compounds
biodegradability under aerobic conditions, improved CO2 production for testing, 507
biodegradability, prediction by artificial neural network, 305
chloro compds, fractionation on carbon cartridge, 841
environmental distribution, graphical display of fugacity model, level 1, 633
munition nitroaromatic compds, *in vitro* cytotoxicity, 363

Ovaries
Chinese hamster cells, test system, detection of nuclear and cytoplasmic damage, 777

Oxidation
treatment, removal of 3–chloro–4–(dichloro–methyl)–5–hydroxy–2(5H)– furanone, from water, 761

Paper
selected products, detn of PCDFs and PCDDs, 737

Partition coefficients
n–octanol/water–, models by molecular topology of polycyclic aromatic hydrocarbons and alkyl derivs, 199
n–octanol/water–, s–triazine herbicides, approaches for evaluation, 801

Partitioning
among coastal compartments, microcontaminants in wastewater from urban disposal site, 313

Pesticides
atrazine triazine transport, effect of micro soil structure, estimation, use of small columns, 107
in vitro cytotoxicity to goldfish scale cells, 525
malathion sorption from tropical estuary by sediments, 167
pesticide flux, two chamber method for detn in water and soil, 291
uptake by plants from air and soil, fugacity model, 539
volatility from soil and plant surfaces, model for detn, 485

Phenols
chlorophenols, levels and sources from composted municipal waste, 181

methylation products of chlorophenols, catechols and hydroquinones in soil and earthworms of sawmill environment, 263

Phosphorus
and nitrogen excretion by carp, water quality in man–made lake, Melbourne, 671

Photochemistry
oxidative treatment, removal of 3–chloro–4–(dichloromethyl)–5–hydroxy–2(5H)–furanone from water, 761
radiation induced gas phase hydroxylation of naphthalene, 627

Physical properties
physico–chemical props, chlorobenzene pollutants, 141

Plankton
plankton in Adriatic open waters, distn, concn and origin, 925

Plants
and soil surfaces, psticide volatility, model for detn, 485
carrots, content of polynuclear aromatic hydrocarbons, 243
fugacity model for chemical uptake from soil and air, 539

Pollutants
atmospheric trace organic contaminant fluxes assessed by evaluation of prcipitation samplers, 343
chemical contaminants in soil, risk assessment,3
chlorobenzenes, physico–chemical properties, 141
microcontaminants in wastewater from urban disposal site, partitioning among coastal compartments, 313
municipal refuse incinerator ashes, variation in elemental composition with time of sampling, 391
munition nitroaromatic compds, *in vitro* cytotoxicity, 363
organochlorine–, in hydrosphere of Czechoslovakia, 269

Pollution
chlorobenzenes in sewage sludge, analysis by capillary gas chrmatography, 677
sawmill environment, chlorinated phenols and metabolites in soil and earthworms, 263

Precipitation
samplers, evaluation atmospheric trace organic contaminant fluxes, oceanic and fresh water systems, 343

QSARs
predictive models estimating ecotoxic hazard of phenylureas, aquatic toxicity 497

Quality
water–, man–made lake, Melbourne, nitrogen and phoshorus excretion by carp, 671

Radiation
induced gas phase hydroxylation of naphthalene, 627

Radicals
OH comcentrations and distribution, different day times, seasons, altitudes, latutudes and climatic conditions, 397

Radioactivity
unattached polonium–218 in the propylene–nitrogen gas system, properties, 25

Reduction
treatment by–, removal of 3–chloro–4–(dichloro–methyl)–5 – hydroxy–2(5H)– furanone from water, 761

Sawmills
environment, methylation products of chlorophenols, catechols and hydroquinones in earthworms and soil, 263

Scale cells
goldfish cells, in vitro cytotoxicity of 45 pesticides, 525

Sediments
lakes and rivers of Czechoslovakia, PCB pollutants, 269
malathion sorption from tropical estuary, 167

Selenium and compounds
reaction with hexachlorobiphenyls, formation of chlorinated dibenzoselenophenes, 569

Sewage
sludge, analysis of chlorobenzenes by capillary gas chrmatography, 677

Soil
2,3,7,8–TCDD decontamination, theoretical maximum rate by photodegradation kinetics, 589
and air, fugacity model for chemical uptake by plants, 539
and plant surfaces, psticide volatility, model for detn, 485
chemical contaminants, risk assessment,3
clay surfaces,interaction with maleic hydrazide, 473
contaminated–, two chamber method for detn of pesticide flux, 291
content of polynuclear aromatic hydrocarbons, 243
micro structure, effect on atrazine triazine transport, estimation, use of small columns, 107
sawmill environment, methylation products of chlorophenols, catechols and hydroquinones, 263
surface–, catalysed H_2O_2 treatment of OCDD, 949

Solubility
aqueous, and bioconcentration factor, evaluation and relationship, 231

Solvents
airborne halocarbon, levels at urban and mountain forest sites in Germany and at Atlantic coast, 609
nitroalkanes, photodegradation, detn by Fujiki–and GSF–tests 77

Sorption
malathion–, by sediments from tropical estuary, 167

Spectrometry
HRGC/HRMS, PCBs in serum and adipose tissue, congener specific analysis, 651

Spectroscopy
^1H NMR identification of PCBs and partially oxidised PCB congeners in human adipose tissue, 383

Straw
cerial, combustion in furnaces, emission and mutagenic activity of PAH, 723

Structure
quaternary alkyl ammonium salts and biodegradability relationship, 281

Techniques
artificial neural network, biodegradability of organic chemicals predicted, 305
evaluation of prcipitation samplers for assessing atmospheric trace organic contaminant fluxes, 343
improved production for testing biodegradability under aerobic conditions, 507
PCDDs and PCDFs, detn in selected paper products, 737
test system for detection of nuclear and cytoplasmic damage in Chinese hamster ovary cells, 777

Terphenyls
halogenated, river transported, distribution in coastal environment, 327

Tests
Fujiki–and GSF–, detn photodegradation of nitroalkanes, 77

Thermal reactions
removal of 3–chloro–4–(dichloromethyl)–5–hydroxy–2(5H)–furanone from water, 761

Thiophenes
tetra– and pentachlorodibenzothiophenes, formation in waste combustion, 583

Tissues and Tissue fluids
human adipose–, ^{1}H NMR identification of PCBs and partially oxidised PCB congeners, 383
human adipose–, presence of chlorinated diphenyl ethers, difference between males and females, 601
human milk, analysis for PCBs by congener specific method, 119
ovary cells, Chinese hamster, test system for detection of nuclear and cytoplasmic damage, 777
serum albumin, *in vitro* covalent modification by acrolein, 939
serum and adipose tissue, PCB congener specific analysis, 651

Topology
molecular–, polycyclic aromatic hydrocarbons and alkyl derivs, models for n–octanol/water part coeffs, 199

Toxicity
chlorobenzene pollutants, biological and toxicological properties, 141
in vitro cytotoxicity of 45 pesticides to goldfish scale cells, 525
in vitro cytotoxicity, munition nitroaromatic compds, 363
short term–, methomyl in rats, 375

Transport
atrazine triazine–, effect of micro soil structure, estimation, use of small columns, 107

Triazines
s–triazine herbicides, approaches for evaluation of Kow, 801

Troposphere
OH distribution and concentration, different day times, seasons altitudes, latitudes and clinatic conditions, 387

Ureas
phenylureas, ecotoxic hazard, estimation with QSAR predictive model, aquatic toxicity 497

Vegetation
isoprene emissions, effect of CO2 concentration, 37

Volatile compounds
volatility of pesticides from soil and plant surfaces, model for detn,485

Wastes
incineration, source of PCDDs and PCDFs in British environment, 255
municipal incinerator ashes, variation in elemental composition with time of sampling, 391
municipal–, composted, levels and sources of PCDDs, PCDFs,CPs and CBzs, 181
solid–, PCDD and PCDF, synthesis and destruction in municipal incinerator, 715
waste combustion, formation of tetra– and pentachlorodibenzothiophenes, 583
wastewater urban disposal site, partitioning of microcontaminants among coastal compartments, 313

Water
contaminated–, two chamber method for detn of pesticide flux, 291
removal of 3–chloro–4–(dichloromethyl)–5–hydroxy–2(5H)–furanone by oxidative, reductive, thermal or photochemical treatments, 761

Wood
chips, combustion in furnaces emission and mutagenic activity of PAH, 723

DIOXIN SUBJECT INDEX VOL. 23, 1991

Adipose tissue
and whole blood and blood plasma, partitioning of PCDDs and PCDFs, 1913

Air
subsoil–, suction as remedy for volatile chlorinated hydrocarbons, experiments and computer simulations, 1337
tetrachloroethylene in–, federal republic, Germany, 1777

Animals
and man, PCDDs and PCDFs toxocity, peculiarities, 1869
lactating cows, toxicokinetics eight ^{13}C–labelled PCDDs,PCDFs, 1377
lactating rat, 2,3,7,8–TCDD effect on maternal and neonatal vitamin A status and hepatic enzyme induction, dose response study, 1951
male rats, inductive potency, TCDD, TBDD and three 2,3,7,8–mixed halogenated dioxins, enzyme kinetic considerations, 1925
marmaset monkeys and rats, single subcutaneous admin TCDD in liver microsomes, comparison ethoxyresorufin O–deethylase and cytochrome P450 induction, 1933
mice exposed to 2,3,7,8–TCDD, dose dependent increase in tumor necrosis factor–alpha, endotoxin toxicity, 1817
rats, treated with 2,3,7,8–TCDD, inhibition of phosphoenolpyruvate carboxykinase activity is key to biochemical lesion, 1957

Analysis
2,3,7,8–PCDDs and PCDFs, fish samples, hybrid mass/mass– and high resolution mass–spectrometry, 104
carbon column GC, specific detn, potentially toxic PCB congeners, 1139
chloropesticides and PCB in water, 4 enrichment methods, statistical evaluation, 1029
comparison, activated charcoal– and multidimensional–GC, separation and detn non–*ortho* Cl substit toxic PCBs, 1055
congener–specific–, PCDF/PCDD in residues/sediments, inter– and intra–lab comparison of protocols, 991
crustacean samples for alkylated PCDDs and PCDFs, 1591
efficiency evaluation, pilot plant for MSW combustion, PCDD, PCDF emission, 1407
on–line system–, and multiple sample extraction, chlorinated compds, 1109
pattern recognition analysis of VA/EPA PCDD and PCDF data, 971
PCB congeners, interpretation of possibilities and problems, 1009
PCDD/PCDF–, paper industry, intra– and inter–lab variability, 1569
PCDD/PCDF–, quality assurance, concerns and difficulties, pulp and paper industry, U.S., 1131
PXDD and PXDF and related compds by database of calculated mass spectra, 981
snow samples, N.Sweden, environmental deposition PCDDs, PCDFs, 1359

Aquatic systems
PCB and chloropesticides in water, 4 enrichment methods, statistical evaluation, 1029
river, rain water, quality in vicinity, bleached kraft mills, 1605

Arenes
structures of new planar aromatic compds from pulp mill, synthesis of model compds, 1581

Assays
in vivo/in vitro–, concentration dependent carcinogenic and co–carcinogenic activity of TCDD, 1855

Assessment
updated–, Canadians, exposure to 2,3,7,8–PCDF, 1661

Automobiles
road–, tunnel experiment, emission factors, PCDD and PCDF, 1699
traffic–, (Br,Cl)xDD/(Br,Cl)xDF, patterns and levels in related samples, 1151

Benzonitriles
2,6–dichlorobenzonitrile, tissue specific toxicity and metabolic activation, olfactory nasal mucosa, 1803

Bioaccumulation
and biotranfer, PCDDs/PCDFs, chickens, controlled exposure, 1731

Bioconcentration
factors, 2,3,7,8–TCDD in humans using physiologically based pharmacokinetic modelling, 1763

Biotransfer
and bioaccumulation, PCDDs/PCDFs, chickens, controlled exposure, 1731

Biphenyls
^{14}C–labelled PCB methylsulfones, synthesis, 1837
and chloropesticides in water, 4 enrichment methods, statistical evaluation, 1029

clophen A, fractionation, *ortho*–substit, non *ortho* CB, mono–*ortho* CB, coplanar, 957
fate ambient air Czechoslovakia, 389
non–*ortho* Cl substit toxic–, separation and detn, comparison activated charcoal– and multidimensional–GC, 1055
oil–PCB manager support system, risk mitigation electrical appliances, 1279
PCB congeners, analysis and interpretation, possibilities and problems, 1009
PCB levels in stack emissions, MSW incinerators, Czecho–Slovak, 1473
PCB pollution, drinking water, Paris, 1637
PCBs and related halogenated aromatic hydrocarbons, molecular mechanism of action, 1925
PCBs assessing human health effects, 1811
PCBs congeners and isomers, serum and adipose tissue, human exposure, 1685
PCBs in human milk, women exposed to PCB fire and women from general public, Canada, 1831
PCBs ortho substit, neurotoxicology, 985
PCBs trend studies for human milk, 1895
PCBs uptake by *Hordeum vulgare* and *Lycopersicon esculentum*, 1397
potentially toxic congeners, specific detn, carbon column GC, 1139
quick screening technique, thermal desorption gas GC, 1145

Bleach and bleaching
chlorine and non chlorine–, pulp mills formation of PCDFs, 1629
paper pulp, volatile organohalogen compds, genotoxic potential in work environment, 1617

Blood
levels after 34 years exposure to 2,3,7,8–TCDD and 2,3,7,8–TBDD, 1921
PCDDs, PCDFs and chlorinated organic compds, Cambodia, Germany, Thailand, USA, USSR and Vietnam, 1903
whole blood, blood plasma and adipose tissue, partitioning of PCDDs and PCDFs, 1913

Brain
nonhuman primate–, and pheochromocytoma cells, dopamine content reduced by non planar ortho substit PCBs, 1941

Buildings
Binghampton office–, transformer incident, 10–year review, 1307

Carbamates
non–*ortho* Cl substit toxic PCBs, separation and detn, comparison activated charcoal– and multidimensional–GC, 1055

Carbon
carbon/flyash system, PCDD/PCDF formation, 1205
fly ash–, PCDD/PCDF formation, effect of SO_2,HCl, Cl, metal ions in gas phase, 1255

Carcinogens
2,3,7,8–TCDD, risk assessment, paper consumer products, 1527
C1–C3 chlorinated hydrocarbons, 1783
infant dose, breast feeding mother exposed to PCDDs, 1387
TCDD, concentration dependent carcinogenic and co–carcinogenic activity, in vivo/in vitro assay, 1855

Catalysts and Catalysis
destruction PCDDs/PCDFs, MSW solid waste flue gas, 1445

Chemometrics
efficiency evaluation, pilot plant for MSW combustion, PCDD, PCDF emission, 1407

Chlorine and compounds
1,2–dichlorobenzene, intermediates, flameless thermal decomposition, 1465
2,6–dichlorobenzonitrile and 2,6–dichloro–thiobenzamide, tissue specific toxicity and metabolic activation, olfactory nasal mucosa, 1803
C1–C3 chlorinated hydrocarbons, toxicology, 1783
chlorinated hydrocarbons, volatile, suction subsoil air as remedy, experiments and computer simulations, 1337
chlorinated hydrocarbons, low temp formation and minimization, 1515
chlorinated organic compds in human milk and blood, Cambodia, Germany, Thailand, USA, USSR and Vietnam, 1903
chlorine pulp bleaching, formation levels, PCDDs and PCDFs, effect of tap or distilled water, 1629
chlorine, metals and dioxin mass balance, hospital waste incineration, 1501
chlorobenzenes in fly ash MWS incineration, dechlorination by screw conveyer, 1287
tetrachloroethylene in federal republic, Germany, 1777
trichlorophenol–producing plant, 2,3,7,8–TCDD in soil, 1769
volatile organohalogen compds, paper pulp bleaching, genotoxic potential in work environment, 1617

Chromatography
activated charcoals and multidimensional–, comparison, separation and detn non–*ortho* Cl substit toxic PCBs, 1055
carbon column–, specific detn, potentially toxic PCB congeners, 1139
DB5 capillary column, separation of PCDDs and PCDFs, search for sensitivity, 1117
fractionation of clophen A, *ortho*–substit, non *ortho* CB, mono–*ortho* CB, coplanar, 957
HRGC/EC, PCB congeners and isomers, human exposure, 1685
HRGC/MS–MS analysis, crustacean samples for alkylated PCDDs and PCDFs, 1591
PCDF/PCDD in residues/sediments, congener–specific analysis, inter– and intra–lab comparison of protocols, 991
thermal desorption gas–, quick screening technique, PCBs, 1145

Coffee
filters, migration of 2,3,7,8–TCDD/2,3,77,8–TCDF under different brewing, 1575

Combustion
pilot plant for MSW, chemometric efficiency evaluation, PCDD, PCDF emission, 1407
pilot–, parameters, synthetic refuse, optimizing dioxin/furan emission, 1233

Composts
incineration or recycling, PCDD/PCDF balance, waste management, 1481

Concentration
2,3,7,8–TCDD–, in thymus and liver, perinatal exposed rats, 1845

Constants
PCDD and PCDF levels, investigation old manufacturing facility, 1001

Contamination
Binghampton office building, transformer incident, 10–year review, 1307
environmental cleanup objectives, standard procedure, 1323

Crustacea
samples, mass spectrometry analysis for alkylated PCDDs and PCDFs, 1591

Cytochrome
P450 and ethoxyresorufin O–deethylase, induction comparison by single subcutaneous admin TCDD in liver microsomes, marmaset monkeys and rats, 1933

Decontamination
air suction volatile chlorinated hydrocarbons in subsoil, experiments and computer simulations, 1337
closure of dioxin incineration facility, 1295

Degradation
high temp–, polybrominated flame retardants, 1185, 1197

Dehalogenation
dechlorination by screw conveyer, PCDDs/PCDFs in fly ash MWS incineration, 1287

Desorption
thermal–, gas GC, quick screening technique for PCBs, 1145

Diesel
halon mixtures, transhalogenation under extreme conditions, 1453

Dimethylsulfoxide
based cleanup procedure, PCB detn in waste oil, 1077

Dioxins
(Br,Cl)xDD/(Br,Cl)xDF, patterna and levels in automobile traffic related samples, 1151
2,3,7,8–TCDD and 2,3,7,8–TBDD, blood levels after 34 years exposure, 1921
2,3,7,8–TCDD and 2,3,7,8–TBDD, blood levels after 34 years exposure, 1921
2,3,7,8–TCDD and related halogenated aromatic hydrocarbons, molecular mechanism of action, 1925
2,3,7,8–TCDD exposed mice, dose dependent increase in tumor necrosis factor–alpha, endotoxin toxicity, 1871
2,3,7,8–TCDD exposure of Canadians, updated assessment, 1661
2,3,7,8–TCDDs, fish samples, hybrid mass/mass–and high resolution mass–spectrometry, 1043
2,3,7,8–TCDD from food contacting bleached paper, USFDA assessment, 1537
2,3,7,8–TCDD in lactating rat, effect on maternal and neonatal vitamin A status and hepatic enzyme induction, dose response study, 1951
2,3,7,8–TCDD in soil, trichlorophenol–producing plant, 1769
2,3,7,8–TCDD treated rats, inhibition of phosphoenolpyruvate carboxykinase activity is key to biochemical lesion, 1957
2,3,7,8–TCDD, bioconcentration factors and half–lives in humans using physiologically based pharmacokinetic modelling, 1763
2,3,7,8–TCDD, migration from paper food packaging and food contact products, 1575
2,3,7,8–TCDD, milk packaged paper, risk assessment, 1551
2,3,7,8–TCDD, risk assessment, paper consumer products, 1527
airborne 2,3,7,8–TCDD vapor and particles from contaminated soil, inhalation hazard, 1719
alkylated PCDDs, HRGC/MS–MS analysis, crustacean samples, 1591
chlorinated aromatics in soil, role of entrainers in supercritical fluid extraction, 1085
chlorinated–, pathways to formation, thermodynamic insights, 1221
chlorine and metals, mass balance, hospital waste incineration, 1501
fate ambient air Czechoslovakia, 1345
incineration facility, closure and decontamination of site, 1295
in cow's milk, vicinity MSW incinerator and metal reclamation plant, Netherlands, 1675
MSW–, PCDD levels in stack emissions, Czecho–Slovak, 1473
optimizing emission, use of synthetic refuse in pilot combustion, 1233
PCDD analysis, quality assurance, concerns and difficulties, pulp and paper industry, U.S., 1131
PCDD and PCDF levels, chlorine pulp bleaching, effect of tap or distilled water, 1629
PCDD and PCDF levels, investigation old manufacturing facility, 1001
PCDD and other pollutants, high temp gassification of different wastes, 1507
PCDD and PCDFs, partitioning, whole blood, blood plasma and adipose tissue, 1913
PCDD congener–specific analysis, residues/sediments, inter– and intra–lab comparison of protocols, 991
PCDD destruction, MSW solid waste flue gas, 1445
PCDD dietary accumulation in guppies, 1349
PCDD distribution and migration from pre–coated paperboards, 1561
PCDD distribution in vicinity, hazardous waste incineration at Schwabach, 1643
PCDDs eight ^{13}C–labelled, lactating cows, toxicokinetics, 1377
PCDD emission factors, road vehicles, tunnel experiment, 1699
PCDD emission MSWI plant, before and after design modernation, 1417
PCDD emission, efficiency evaluation, pilot plant for MSW combustion, 1407
PCDD emission, reduction by modern technology in waste incinerators, 1429
PCDD emissions, fluidized bed incinerator, effect of operation and fuel type, 1491
PCDD formation, carbon of fly ash, effect of SO2,HCl, Cl, metal ions in gas phase, 1255
PCDD formation, fly ash surface, effect of time and temp, 1205
PCDD in fly ash MWS incineration, dechlorination by screw conveyer, 1287
PCDD in human milk and blood, Cambodia, Germany, Thailand, USA, USSR and Vietnam, 1903
PCDDs in human milk, women exposed to PCB fire and women from general public, Canada, 1831
PCDD in mother's milk due to ingection of contaminated fish, infant exposure, 1387
PCDD kinetics simulation formation and destruction, fly ash from MSW incinerators, 1245
PCDD pattern recognition analysis of VA/EPA data, 971
PCDD removal efficiency from flue gas of MSW incinerator, fabric filter or electrostatic precipitator, 1439
PCDD sewage sludges, potential source, 1653
PCDD snow samples, N.Sweden, environmental deposition, 1359
PCDD toxocity in animals and man, peculiarities, 1869
PCDD trend studies for human milk, 1895
PCDD volatilization, environmental impact, 1669

PCDD/PCDF analysis, paper industry, intra– and inter–lab variability, 1569
PCDD/PCDF in incorrosive off–gas, reduction in Mg production, pilot plant with wet electrostatic precipitator, 1097
PCDD/PCDF in pulp mill products, effluents, sediments and mussels, 1581
PCDD/PCDF, status of testing and reporting under the toxic substances control act, 1125
PXDD and related compds, analysis by database of calculated mass spectra, 981
TCDD in Comumbia river fish, risk assessment, 1709
TCDD, concentration dependent carcinogenic and co–carcinogenic activity, in vivo/in vitro assay, 1855
TCDD, single subcutaneous admin liver microsomes, marmaset monkeys and rats, comparison ethoxyresorufin O–deethylase and cytochrome P450 induction, 1933
TCDD,TBDD and three 2,3,7,8–mixed halogenated dioxins, inductive potency, male rats, enzyme kinetic considerations, 1925
trichinella spiralis infection, resistance in 2,3,7,8–TCDD, perinatal exposed rats, 1845

Distribution
and migration, PCDDs, PCDFs from pre–coated paperboards, 1561

Dopamine
content nonhuman primate brain and pheochromocytoma cells, reduced by non planar ortho substit PCBs, 1941

Electrical appliances
risk mitigation, oil–PCB manager support system, 1279

Electrodes
graphite–, use in chloralkali process, high PCDF levels, 1629
or fabric filter, removal efficiency PCDDs/PCDFs from flue gas of MSW incinerator, 1439

Emissions
factors, PCDD and PCDF, road vehicles, tunnel experiment, 1699

Environment
cleanup objectives, standard procedure, 1323
criteria for evaluation of PCDDs/PCDFs in plant food via soil contamination, 1743
deposition PCDDs, PCDFs, analysis snow samples, N.Sweden, 1359
environmental impact, PCDD and PCDF volatilization, 1669
fate of PCBs, PCDDs, PCDFs, ambient air Czechoslovakia, 1345
PCDFs/PCDDs, distribution in vicinity, hazardous waste incineration at Schwabach, 1643
photolytic transformations, solution and solid phases, PCDDs,PCDFs in fly ash, 1365

Ethers
diphenyl–, chlorinated and brominated in human adipose tissue, mass confirmation, 1185
PBDPOs, in flame retardant fabric, effect on dioxin/furans formation during pyrolysis, 1173
polybrominated diphenylether flame retardants, gas–phase pyrolytic and oxidative decomposition, 1197

Ethylene
fly ash mediated oxychlorination and oxidation, 1213

Ethoxyresorufin
O–deethylase and cytochrome P450, induction comparison by single subcutaneous admin TCDD in liver microsomes, marmaset monkeys and rats, 1933
O–deethylase induction and vitamin A status, maternal and neonatal lactating rat, 2,3,7,8–TCDD effect, dose response study, 1951
O–deethylase, kinetic considerations, male rats, inductive potency, TCDD,TBDD and three 2,3,7,8–mixed halogenated dioxins, 1925

Exhausts
automobile–, dioxin/furan emissions from halogen ethane additives to leaded fuels, 1151

Exposure
34 years–, 2,3,7,8–TCDD and 2,3,7,8–TBDD blood levels, 1921
controlled–, biotranfer and bioaccumulation PCDDs/PCDFs, chickens, 1731
human exposure, PCBs congeners and isomers in serum and adipose tissue, 1685

Extraction
DMSO–based cleanup–, detn PCBs in waste oil, 1077
multiple sample–, and on–line system analysis of chlorinated compds, 1109
PCB and chloropesticides in water, four enrichment methods, statistical evaluation, 1029
supercritical fluid–, chlorinated aromatics from soils, role of entrainers, 1085

Fires
extinguishing, transhalogenation halon diesel mixtures under extreme conditions, 1453
PBC–, exposed women, PCDDs, PCDFs and PCBs in breast milk, 1831

Fish
Comumbia river–, risk assessment for TCDD, 1709
contaminated–, ingection, PCDD in mother's molk, infant exposure, 1387
guppies, dietary accumulation PCDDs and PCDFs, 1349
juvenile–, in rivers with discharged bleached kraft mill effluents, analysis for organic contaminants, 1605
sample analysis for PCDDs and PCDFs by hybrid mass/mass– and high resolution mass–spectrometry, 1043

Flame retardants
PBDPO polymer blends, effect on PBDDs and PBDFs formation, 1173
polybrominated–, polyhalogenated diphenyl ethers in human adipose tissue, 1185
polybrominated–, pyrolysis, formation halogenated benzenes, phenols, dioxins and furans, 1197

Fly ash
carbon, formation PCDD/PCDF, effect of SO2,HCl, Cl,metal ions in gas phase, 1255
from MSW incinerators, kinetics simulation formation and destruction PCDD/PCDF, 1245
mediated oxychlorination and oxidation, 2213
MWS incineration, dechlorination PCDDs/PCDFs by screw conveyer, 1287
PCDDs in fly ash, photolytic transformations, solution and solid phases, 1365
surface, effect of time and temp on PCDD/PCDF formation, 1205

Food
contacting bleached paper, USFDA assessment 2,3,7,8–TCDFand 2,3,7,8–TCDD, 1537
fatty and non–fatty–, migration from paper food packaging and food contact products, 1575
PCDD and PCDF contaminated, accumulation in guppies, 1349
plant–, criteria for PCDDs/PCDFs evaluation, 1743
refusal, TCDD–treated rats leading to death due to increased sertonergic activity, 1957
tetrachloroethylene in–, federal republic, Germany, 1377

Fuel
automobile, leaded–, dioxin/furan emissions from halogenated ethane additives, 1151
type, and operation fluidized bed incinerator, effect on PCDD/PCDF emissions, 1491

Furans
(Br,Cl)xDD/(Br,Cl)xDF, patterna and levels in automobile traffic related samples, 1151
2,3,7,8–PCDF, exposure of Canadians, updated assessment, 705
2,3,7,8–PCDFs, fish samples, hybrid mass/mass–and high resolution mass–spectrometry, 1043
2,3,7,8–TCDF and related halogenated aromatic hydrocarbons, molecular mechanism of action, 1125
2,3,7,8–TCDF from food contacting bleached paper, USFDA assessment, 1537
2,3,7,8–TCDF, migration from paper food packaging and food contact products, 1575
2,3,7,8–TCDF, milk packaged paper, risk assessment, 1551
alkylated PCDFs, HRGC/MS–MS analysis, crustacean samples, 1591
chlorinated–, pathways to formation, thermodynamic insights, 1221
fate ambient air Czechoslovakia, 1345
high levels from use of graphite electrodes in chloralkali process, 1629
MSW–, PCDF levels in stack emissions, Czecho–Slovak, 1473
PCDF analysis, quality assurance, concerns and difficulties, pulp and paper industry, U.S., 1131
PCDF and PCDD levels, investigation old manufacturing facility, 1001
PCDF congener–specific analysis, residues/sediments, inter– and intra–lab comparison of protocols, 991
PCDF destruction, MSW solid waste flue gas, 1445
PCDF dietary accumulation in guppies, 1349
PCDF distribution and migration from pre–coated paperboards, 1561
PCDF distribution in vicinity, hazardous waste incineration at Schwabach, 1643
PCDF eight ^{13}C–labelled, lactating cows, toxicokinetics, 1377
PCDF emission factors, road vehicles, tunnel experiment, 1699
PCDF emission MSWI plant, before and after design modernation, 1417
PCDF emission, efficiency evaluation, pilot plant for MSW combustion, 1407
PCDF emission, reduction by modern technology in waste inincerators, 1429
PCDF emissions, fluidized bed incinerator, effect of operation and fuel type, 1491
PCDF formation, carbon of fly ash, effect of SO2,HCl, Cl, metal ions in gas phase, 1255
PCDF formation, fly ash surface, effect of time and temp, 1205
PCDF in fly ash MWS incineration, dechlorination by screw conveyer, 1287
PCDF in fly ash, photolytic transformations, solution and solid phases, 1365
PCDF in human milk and blood, Cambodia, Germany, Thailand, USA, USSR and Vietnam, 1903
PCDF in human milk, women exposed to PCB fire and women from general public, Canada, 1831
PCDF, kinetics simulation formation and destruction, fly ash from MSW incinerators, 1245
PCDF, pattern recognition analysis of VA/EPA data, 971
PCDF removal efficiency from flue gas of MSW incinerator, fabric filter or electrostatic precipitator, 1439
PCDF sewage sludges, potential source, 1653
PCDF snow samples, N.Sweden, environmental deposition, 1359
PCDF toxocity in animals and man, peculiarities, 1869
PCDF trend studies for human milk, 1895
PCDF volatilization, environmental impact, 1669
PCDF/PCDD in corrosive off–gas, reduction in Mg production, pilot plant with wet electrostatic precipitator, 1097
PCDF/PCDD in pulp mill products, effluents, sediments and mussels, 1581
PCDF/PCDD, status of testing and reporting under the toxic substances control act, 1125
PCDF and other pollutants, high temp gassification of different wastes, 1507
PCDF and PCDDs, DB5 capillary column, search for sensitivity, 1117
PCDF and PCDDs, partitioning, whole blood, blood plasma and adipose tissue, 9913
PXDF and related compds, analysis by database of calculated mass spectra, 981

Filters
fabric–, or electrostatic precipitator, removal efficiency PCDDs/PCDFs from flue gas of MSW incinerator, 1439

Genotoxicity
potential in work environment, volatile organohalogen compds from paper pulp bleaching, 1617

Halflives
2,3,7,8–TCDD in humans using physiologically based pharmacokinetic modelling, 1763

Halon
CF2ClBr and CF3Br, transhalogenation under extreme conditions, 1453

Health hazards
2,3,7,8–TCDDassessing human health effects, 1811

Hydrocarbons
C1–C3 chlorinated hydrocarbons, toxicology, 1783
volatile, chlorinated–, suction subsoil air as remedy, experiments and computer simulations, 1337

Incinerators
efficiency evaluation, pilot plant PCDF,PCDD emission, 1407
fluidized bed–, PCDD/PCDF emissions, effect of operation and fuel type, 1491
hazardous waste, Schwabach, distribution of PCDFs/PCDDs in vicinity, 1643
hospital waste–, chlorine, metals and dioxin mass balance, 1501
incineration, recycling or composting, PCDD/PCDF balance, waste management, ,1481
modern technology, reduction PCDD,PCDF emission, 1429
MSW plant, PCDD/PCDF emission before and after design modernation, 1417
MSW–, PCDD,PCDF,PCB levels in stack emissions, 1473
MSW–, solid waste flue gas, destruction PCDDs/PCDFs, 1445

MSW–,removal efficiency of PCDDs/PCDFs from flue gas, fabric filter or electrostatic precipitator, 1439
MSW–,vicinity, dioxin in cow's milk, Netherlands, 1675

Industry
located Comumbia river, assessment TCDD in fish, 1709
paper–, PCDD/PCDF analysis, intra– and inter–lab variability, 1569

Inhalation
carboxykinase activity, is key to biochemical lesion in TCDD–treated rats, 1957
hazard, airborne 2,3,7,8–TCDD vapor and particles from contaminated soil, 1719

Isotopes
PXDD and PXDF and related compds by database of calculated mass spectra, 981

Isotopic labelling
^{14}C–labelled PCB methylsulfones, synthesis, 1837
toxicokinetics eight ^{13}C–labelled PCDDs,PCDFs, lactating cows, 1377

Kinetics
simulation formation and destruction PCDD/PCDF, fly ash from MSW incinerators, 1245

Landfills
graphite electrode sludge from chloralkali process, 1629

Liver
liver microsomes, marmaset monkeys and rats, single subcutaneous admin TCDD, comparison ethoxyresorufin O–deethylase and cytochrome P450 induction, 1933

Mass spectra
confirmation, chlorinated and brominated diphenyl ethers in human adipose tissue, 1185
HRGC/HRMS, PCB congeners and isomers, human exposure, 1685
HRGC/MS–MS analysis, crustacean samples for alkylated PCDDs and PCDFs, 1591

Mechnisms
action–, molecular, 2,3,7,8–TCDD and related halogenated aromatic hydrocarbons, 1825

Metabolism
tissue specific–, and metabolic activation, 2,6–dichlorobenzonitrile and 2,6–dichlorothiobenzamide in olfactory nasal mucosa, 1903

Metals
chlorine and dioxin mass balance, hospital waste incineration, 545
metal reclamation plant vicinity, dioxin in cow's milk, Netherlands, 1675
Mg production, reduction PCDD/PCDF in corrosive off–gas, pilot plant with wet electrostatic precipitator, 1097

Migration
2,3,7,8–TCDD/2,3,7,8–TCDF from paper food packaging and food contact products, 1575
and distribution, PCDDs, PCDFs from pre–coated paperboards, 1561

Milk
cow's–, dioxin occurrence, vicinity MSW incinerator and metal reclamation plant, Netherlands, 1675
human–, PCDDs, PCDFs and PBCs in women exposed to PCB fire and women from general public, Canada, 1831
human–, PCDDs, PCDFs and chlorinated organic compds, Cambodia, Germany, Thailand, USA, USSR and Vietnam, 1903
human–, trend studies for PCDDs,PCDFs and PCBs, 1895
lactating cows, toxicokinetics eight ^{13}C–labelled PCDDs,PCDFs, 1377
mother's–, PCDD due to ingection of contaminated fish, infant exposure, 1387
packaged in paper, risk assessment, 2,3,7,8–TCDD, 2,3,7,8–TCDF, 1551

Models
dioxin contaminated soil, inhalation hazard, airborne 2,3,7,8–TCDD vapor and particles, 1629
mathematical–, infant dose, breast feeding mother exposed to PCDDs, 1387
model compds, synthesis, structures of new planar aromatic compds from pulp mill, 1581
pharmacokinetic modelling, physiologically based, 2,3,7,8–TCDD, bioconcentration factors and half–lives in humans, 1763

Monooxygenases
hepatic–, induced in 2,3,7,8–TCDD perinatal exposed rats, 1845

Mutagenicity
C1–C3 chlorinated hydrocarbons, 1783

Neurotoxicology
non planar ortho substit PCBs, 1941

Oils
waste–, PCB detn, DMSO–based cleanup procedure, 1077

Organisms
Hordeum vulgare, PCBs uptake, 1397
Lycopersicon esculentum, PCBs uptake, 1397
trichinella spiralis infection, resistance in 2,3,7,8–TCDD, perinatal exposed rats, 1845

Oxidation
and oxychlorination mediated by ash, 1213

Oxychlorination
and oxidation, mediated by fly ash, 1213

Paper
and pulp industry, U.S., PCDD/PCDF analysis, quality assurance, concerns and difficulties, 1131
bleached kraft mills vicinity, quality of rain river water, 1605
bleached–, food contacting, USFDA assessment 2,3,7,8–TCDFand 2,3,7,8–TCDD, 581
consumer products, 2,3,7,8–TCDD risk assessment, 1527
industry, PCDD/PCDF analysis, intra– and inter–lab variability, 1569
milk packaged–, risk assessment, 2,3,7,8–TCDD, 2,3,7,8–TCDF, 1551
paper pulp bleaching, volatile organohalogen compds, genotoxic potential in work environment, 1617
pre–coated boards, PCDDs, PCDFs distribution and migration, 1561

Partitioning
PCDDs and PCDFs, whole blood, blood plasma and adipose tissue, 1913

Pesticides
chloro–, and PCB in water, 4 enrichment methods, statistical evaluation, 1029

Phenols
trichlorophenol–producing plant, 2,3,7,8–TCDD in soil, 1769

Pheochromocytoma cells
and nonhuman primate brain, dopamine content reduced by non planar ortho substit PCBs, 1941

Phosphoenolpyruvate
carboxykinase activity, inhibition is key to biochemical lesion in TCDD–treated rats, 1957

Photochemistry
transformations, solution and solid phases, PCDDs,PCDFs in fly ash, 1365

Pilot plant
high temp gassification different wastes, formation of PCDDs/PCDFs and other pollutants, 1507
MSW incinerator, removal efficiency PCDDs/PCDFs from fluegas, fabric filter or electrostatic precipitator, 1439
PCDF,PCDD emission, efficiency evaluation, 1407

Plankton
with wet electrostatic precipitator, reduction PCDD/PCDF in corrosive off–gas, Mg production, 1097

Plants
PCBs uptake by *Hordeum vulgare* and *Lycopersicon esculentum*, 1397

Pollutants
organic–, in juvenile fish, rivers with discharged bleached kraft mill effluents, 1605
sources, routes of exposure, environmental cleanup objectives, 1323

Pulp
and paper industry, U.S., PCDD/PCDF analysis, quality assurance, concerns and difficulties, 1131
mill, structures of new planar aromatic compds, synthesis of model compds, 1581

Quality
assurance, concerns and difficulties, PCDD/PCDF analyses, pulp and paper industry, U.S., 1131
QA/QC, PCDD and PCDF levels, investigation old manufacturing facility, 1001
QA/QC, PCDF/PCDD in residues/sediments, congener–specific analysis, inter– and intra–lab comparison of protocols, 991
rain river water, vicinity, bleached kraft mills, 1605

Recycling
incineration or composting, PCDD/PCDF balance, waste management, 1481

Risk assessment
2,3,7,8–TCDD, 2,3,7,8–TCDF, milk packaged in paper, 1551
2,3,7,8–TCDD, paper consumer products, 1527
and management system for electrical containers, 1279
fish and fishermen, TCDD, industry located Comumbia river, 1709
TCDD in Comumbia river fish, assessment, 1709
USFDA–, 2,3,7,8–TCDD and 2,3,7,8–TCDF from food contacting bleached paper, 1537
volatile organohalogen compds, paper pulp bleaching, genotoxic potential in work environment, 1617

Sediments
PCDF/PCDD congener–specific analysis, inter– and intra–lab comparison of protocols, 991

Separation
non–*ortho* Cl substit toxic PCBs, comparison activated charcoal– and multidimensional–GC, 1055
PCDDs and PCDFs, DB5 capillary column, search for sensitivity, 1117

Serotonergic activity
increased in TCDD–treated rats leading to death by food refusal, 1957

Sewage
sludges, potential source PCDDs and PCDFs, 1653

Soil
2,3,7,8–TCDD in–, trichlorophenol–producing plant, 1769
biotranfer and bioaccumulation, PCDDs/PCDFs, chickens, controlled exposure, 1731
chlorinated aromatics in–, role of entrainers in supercritical fluid extraction, 1085
dioxin contaminated–, models, inhalation airborne 2,3,7,8–TCDD vapor and particles, 1719
PCDDs/PCDFs contaminated, criteria for evaluation of plant food, 1743
subsoil air, suction as remedy for volatile chlorinated hydrocarbons, experiments and computer simulations, 1337

Spectroscopy
calculated mass spectra, database, analysis of PXDD and PXDF and related compds, 981
PCDF/PCDD in residues/sediments, congener–specific analysis, inter– and intra–lab comparison of protocols, 991

Substituent effects
effect of position and number of Cl atoms in commercial PCB product, 957

Sulfones
^{14}C–labelled PCB methylsulfones, synthesis, 1837

Techniques
component analysis, applied to 2,3,7,8–chlorine substit PCDDs and PCDFs in cow' milk, 1675
dechlorination by screw conveyer, PCDDs/PCDFs in fly ash MWS incineration, 1287
detn 2,3,7,8–TCDD in soil of trichlorophenol–producing plant, 1769
DMSO–based cleanup–, detn PCBs in waste oil, 1077
experimental reactor, pilot combustion synthetic refuse, optimizing dioxin/furan emission, 1233
four enrichment methods, statistical evaluation, PCB and chloropesticides in water, 1029
least squares error analysis, PCB congeners, interpretation, possibilities and problems, 1009
on–line system analysis and multiple sample extraction, chlorinated compds, 1109

pattern recognition analysis of VA/EPA PCDD and PCDF data, 971
quick screening–, thermal desorption gas GC for PCBs, 1145
supercritical fluid extraction, chlorinated aromatics from soils, role of entrainers, 1085
thermal degradation flame retardant fabric, role of PBDPOs in formation of dioxins and furans. 1173

Tests
pilot plant with wet electrostatic precipitator, reduction PCDD/PCDF in corrosive off–gas, Mg production, 1097
testing and reporting PCDF/PCDD, status under toxic substances control act, 1125

Thermal reactions
effect of temp on fly ash mediated oxychlorination and oxidation, 1213
flameless–, intermediates, 1,2–dichlorobenzene decomposition, 1465
high temp gassification, different wastes, formation of PCDDs/PCDFs and other pollutants, 1507
low temp formation and minimization, chlorinated hydrocarbons, 1515
time and temp, effect on PCDD/PCDF formation on fly ash surface, 1205

Thermodynamics
insights, on pathways to formation chlorinated dioxins and furans, 1221

Thiobenzamides
2,6–dichlorothiobenzamide, tissue specific toxicity and metabolic activation, olfactory nasal mucosa, 1803

Tissues and Tissue fluids
adipose human–, pattern recognition analysis of VA/EPA PCDD and PCDF data, 971
blood levels after 34 years exposure to 2,3,7,8–TCDD and 2,3,7,8–TBDD, 1921
human adipose–, mass spectral confirmation, chlorinated and brominated diphenyl ethers, 1185
human– tetrachloroethylene, federal republic, Germany, 1777
liver microsxmes, marmaset monkeys and rats, single subcutaneous admin TCDD, comparison ethoxyresorufin O–deethylase and cytochrome P450 induction, 1933
olfactory nasal mucosa, tissue specific toxicity and metabolic activation of 2,6–dichloro–benzonitrile and 2,6–dichlorothiobenzamide, 1803
serum and adipose–, PCBs congeners and isomers, human exposure, 1685
thymus and liver, 2,3,7,8–TCDD perinatal exposed rats, 1845
whole blood, blood plasma and adipose tissue, partitioning of PCDDs and PCDFs, 1913

Toxicity
C1–C3 chlorinated hydrocarbons, toxicology, 1783
PCDDs and PCDFs in animals and man, peculiarities, 1869
potentially toxic PCB congeners, specific detn, carbon column GC, 1139
tissue specific–, and metabolic activation, 2,6–dichlorobenzonitrile and 2,6–dichlorothiobenzamide in olfactory nasal mucosa, 1903
toxic substances control act, status of testing and reporting of PCDD/PCDF, 1125

Toxicokinetics
eight ^{13}C–labelled PCDDs,PCDFs in lactating cows, 1377

Transformers
incident, Binghampton office building, 10–year review, 1307

Transhalogenation
halon diesel mixtures under extreme conditions, 1453

Traffic
2–way direction, vehicles in separated tunnels, inlet and outlet emission factors, PCDD and PCDF, 1699
automobile–, (Br,Cl)xDD/(Br,Cl)xDF, pattems and levels in related samples, 1151

Tumors
necrosis factor–alpha and TCDD pathologies, similar in mice, 1817

Vehicles
heavy and light duty diesel–, different PCDD and PCDF emission factors, 1699

Vitamins
vitamin A status and hepatic enzyme induction, maternal and neonatal lactating rat, 2,3,7,8–TCDD effect, dose response study, 1951

Volatile compounds
organohalogen compds, paper pulp bleaching, genotoxic potential in work environment, 1617
volatilization, environmental impact, PCDDs and PCDFs, 1669

Wastes
different–, high temp gassification, formation of PCDDs/PCDFs and other pollutants, 1507
dioxin contaminated–, closure and decontamination of incineration facility, 1295
hazardous–, incineration at Schwabach, distribution of PCDFs/PCDDs in vicinity, 1643
hospital–, incineration, chlorine, metals and dioxin mass balance, 1501
management, incineration, recycling, composting, PCDD/PCDF balance, 1481
MSW solid–, flue gas, destruction PCDDs/PCDFs, 1445
synthetic refuse, use of pilot combustion for optimizing dioxin/furan emission, 1233
waste oil, PCB detn, DMSO–based cleanup procedure, 1077

Water
drinking–, Paris, PCB pollution, 1637
PCB and chloropesticides, 4 enrichment methods, statistical evaluation, 1029
quality of rain river–, vicinity, bleached kraft mills, 1605